

TriBeCa



index

faces	12
decori	14
size and colors	16
technical	18
price list	19


ART
SPEAKS
WHERE
WORDS
ARE
UNABLE
TO
EXPLAIN

artist mathoiole

grigio



100 chromatic veining 1 blend



floating on the rock..

HOME IS
NOT A
PLACE
IT'S A
FEELING

individual styling





original spaces



different faces



HOTEL
HOTEL



RESISTENZA SCIVOLOSITÀ
SLIP RESISTANCE



SPESSORE
THICKNESS



RETTIFICATO
RECTIFIED




COLORATO IN MASSA
FULL BODY COLOURED




LIEVE VARIAZIONE
LIGHT VARIATION

decori



bianco 7,5x30 **R** 18

listello bianco 7,5x30 **P₂** 2



grigio 7,5x30 **R** 18


listello grigio 7,5x30 **P₂** 2



nero 7,5x30 **R** 18


listello nero 7,5x30 **P₂** 2

luxury emotions




esagono bianco 22x25 **R** 18

esagono bianco 22x25 **P₂** 3



esagono grigio 22x25 **R** 18

esagono grigio 22x25 **P₂** 3



esagono nero 22x25 **R** 18




esagono nero 22x25 **P₂** 3

bianco

grigio

nero

muretto




IMBALLI E PESI - PACKING AND WEIGHTS - VERPACKUNGEN UND GEWICHTE - EMBALLAGE ET POIDS

Formato Size Format Format	SCATOLA/BOX				PALLET			FORNITO
	Pz./Scat. Pcs/Box Stck/Kart. Pcs/Boite	mq./Scat. Sqm/Box Qm/Kart. Mc/Boite	Kg./Scat. Kg/Box Kg/Kart Kg/Boite	Kg./mq. Sqm/mq Kg/mq kg/mq	Scatole Boxes Kartons Boites	mq Sqm Qm Mc	Kg. Kg Kg Kg	
60x120	2	1,44	32	22,22	30	43,2	960	-
60x60	4	1,44	32,5	22,57	30	43,20	975	-
30x60	6	1,08	22,5	20,83	40	43,20	900	-
7,5x30	33	0,675	12,90	19,1	50	33,75	645	-
5x5 MOSAICO	6	0,54	12	23	60	32,40	720	su rete - On net Auf Netz - Sur trame
20x27 ESAGONO	9	0,378	8,5	22,4	72	27,216	612	su rete - On net Auf Netz - Sur trame

SIMBOLI E SPECIFICHE TECNICHE - SYMBOLS AND TECHNICAL SPECIFICATIONS - SYMBOLE UND TECHNISCHE SPEZIFIKATIONEN - SYMBOLES ET SPÉCIFICATIONS TECHNIQUES

**TONALITÀ MISCELATE
MIXED COLOURS - GEMISCHTE FARBEN - COULEURS MÉLANGÉES**



**CARATTERISTICHE TECNICHE
TECHNICAL FEATURES - TECHNISCHE BEZEICHNUNGEN - CARACTÉRISTIQUES TECHNIQUES**




**SPECIFICITÀ DEL PRODOTTO
TECHNICAL SPECIFICATIONS OF THE PRODUCT - TECHNISCHE SPEZIFIKATIONEN DES PRODUKTES - SPÉCIFICATIONS TECHNIQUES DU PRODUIT**



**I GRADI DEI PEI
PEI RATING - PEI RATING - EVALUATION DES PEI**

Secondo la norma UNI EN ISO 10545/7, il PEI determina la resistenza all'abrasione della superficie delle piastrelle smaltate.
According to UNI EN ISO 10545/7, PEI determines the wear resistance of the surface of glazed tiles.



CONSIGLI PER LA POSA - SUGGESTIONS FOR LAYING - RATSCHLÄGE FÜR DIE VERLEGUNG - CONSEILS POUR LA POSE

Viste le caratteristiche delle serie si consiglia:	Considering the characteristics of this series we suggest:	Im Hinblick auf die Eigenschaften der Serie man empfehly:	Vues les caracteristiques de la serie nous conseillons:
- Rivestimento Fuga di 2-3mm.	- Wall tiles 2-3 mm. joint	- Wandfliesen 2-3 mm. Fuge	- Carreaux pour murs Joint 2/3mm.
- Pavimento Si consiglia la posa affiancata o a correre sfalsata 4/5 - con fuga di 3-4mm.	- Floor tiles ined up laying or 4/5 staggered laying is suggested - 4/5mm joint	- Bodenfliesen Neben verlegt oder 4/5 versetzt 4/5 mm Fuge	- Carreaux pour sol Il est conseillé une pose alignée - Joint 4-5 mm

SIMBOLI LETTURA LISTINO - SYMBOLS PRICE LIST INDICATION - SYMBOLE DER PREISLISTE - SYMBOLES DE LA LISTE DE PRIX

**SIMBOLI LETTURA LISTINO
SYMBOLS PRICE LIST INDICATION - SJMBOLE DER PREISLIST - SJMBOLES DE LA LISTE DE PRIX**



LISTINO PREZZI

CODICE CODE Nr.	PREZZO PRICE EURO	CODICE CODE Nr.	PREZZO PRICE EURO	CODICE CODE Nr.	PREZZO PRICE EURO
1	5,5	11	37	21	54
2	7	12	40	22	55
3	12	13	41	23	57
4	14	14	42	24	59
5	16	15	44	25	60
6	18	16	45	26	65
7	25	17	47	27	70
8	27	18	51	28	75
9	30	19	52	29	80
10	34	20	53	30	85

